AS 28 - Flex Terso - small area cleaning machine

Part No. 345.121

FLEX terso:
the cleaning machine for small areas, hard-to-reach places & stairs

- High-power rechargeable lithium-ion battery 3,0 Ah
- Four ergonomically positioned hand-grips
- The tilting cleaning head features a full brush skirt and a rotatable hood to protect against splashing water
- Bayonet fitting for tool-free accessory change
- The terso can be connected to an external water supply point
- Universal dry and wet cleaning
- Pressure tank for cleaning liquid
- Ideal for hard-to-reach areas, for cleaning and gentle preparation of various surfaces, including polishing

---

TECHNICAL DATA

Technical attributes	AS 28
Battery voltage	28 V
Battery capacity	3,0 Ah
Power input	800 watt
No load speed 1st gear	0-650 rpm
No load speed 2nd gear	0-1800 rpm
Tank volume	1 l
Weight with battery	8,60 kg

AS 28 – Flex Terso – small areas cleaning machine - Accessories

Standard equipment	
1 cleaning brush with splash guard	345.903
1 double sides backing pad	345.814
1 charger	345.512
Battery pack	345.520 (2x)
1 polstered shoulder strap	345.741
1 padded carrying bag	346.020

Universal sponge pad

Universal pad for cleaning on smooth surfaces.

QTY/PKG:	Dimensions in mm:	Order no.
2	200 Ø	345.865

Porcelain stoneware sponge pad

Highly absorbent sponge pad for use on porous surfaces. Only used wet!

QTY/PKG:	Dimensions in mm:	Order no.
2	200 Ø	350.702

Microfibre pad

For dry and wet cleaning on smooth surfaces.

QTY/PKG:	Dimensions in mm:	Order no.
2	200 Ø	345.873

Cleaning brush with splash guard

For use on hard surfaces.

QTY/PKG:	Dimensions in mm:	Order no.
1	200 Ø	345.903

Cleaning brush with spray protection, soft

With soft-care bristles to protect the surface

QTY/PKG:	Dimensions in mm:	Order no.
1	200 Ø	350.699

Diamond polishing disc, stage 1

For cleaning and smoothing marble and synthetic stone floors. For smoothing damaged surfaces and removing deep scratching. The result is a finely ground surface. All applications use nothing but water - without any chemical additives.

Dimensions in mm:	QTY/PKG:	Order no.
200 Ø	1	352.330

Diamond polishing disc, stage 2

For cleaning and smoothing marble and synthetic stone floors. For smoothing damaged surfaces and removing fine scratching. The result is a finely polished surface. All applications use nothing but water - without any chemical additives.

Dimensions in mm:	QTY/PKG:	Order no.
200 Ø	1	352.349

Diamond polishing disc, stage 3

For cleaning and smoothing marble and synthetic stone floors. For smoothing and regular cleaning of damaged surfaces and removing any residual fine scratching. The result is a polished surface. All applications use nothing but water - without any chemical additives.

Dimensions in mm:	QTY/PKG:	Order no.
200 Ø	1	352.357

Polishing sponge

For cleaning and smoothing marble and synthetic stone floors and smoothing damaged surfaces. The result is a shining finish. Also suitable for retaining the shine in daily cleaning and removing minor areas of damage. All applications use nothing but water - without any chemical additives.

Dimensions in mm:	QTY/PKG:	Order no.
200 Ø	1	352.365

K 120 grinding brush

With abrasive bristles. For thorough smoothing of heavily soiled surfaces, including concrete slabs and steps, etc.

Dimensions in mm:	QTY/PKG:	Order no.
200 Ø	1	352.373

K 500 grinding brush

For thorough smoothing of lightly soiled surfaces. Also suitable for care and cleaning of elastomer coatings (chalking). The ageing resisters (paraffins) are decomposed by UV radiation or frequent use of alkaline and solvent-containing cleaning agents. This creates a chalky surface. The only way to remove this is to grind the chalky layer away, using a fast-running grinder (terso) with a fine grinding brush.

Dimensions in mm:	QTY/PKG:	Order no.
200 Ø	1	352.381

Polishing pad silver

First step of the diamond polishing system. For pre-polishing and removing smaller scratches and tracks.

QTY/PKG:	Dimensions in mm:	Grit:	Order no.
3	200 Ø	grit 800	345.830

Polishing pad yellow

Second step of the diamond polishing system. For polishing and manufacturing a shining surface.

QTY/PKG:	Dimensions in mm:	Grit:	Order no.
3	200 Ø	grit 1500	345.849

Polishing pad green

Third step of the diamond polishing system. High gloss polishing, gloss preservation, maintenance cleaning.

QTY/PKG:	Dimensions in mm:	Grit:	Order no.
3	200 Ø	grit 3000	345.857

Polishing pad set

For pre-polishing, polishing and high-gloss polishing in three steps. Consisting of polishing pad 1 x silver, 1 x yellow, 1 x green.

QTY/PKG:	Dimensions in mm:	Order no.
3	200 Ø	346.012

Double sided backing pad

Double-sided carrier for grinding and polishing pad/sponge and microfibre pad - for simple and toolless change.

QTY/PKG:	Dimensions in mm:	Order no.
1	200 Ø	345.814

Padded carrying bag

The clean holdall for the machine and accessories. Also protects against damage.

QTY/PKG:	Order no.
1	346.020

Polstered shoulder strap

Especially for long-term employments.

QTY/PKG:	Order no.
1	345.741

Battery pack

Lithium ionen accu whith 28 V/3 Ah.

QTY/PKG:	Order no.
1	345.520

Charger

Charging time approx. 60 min for Li-Ion battery pack 28 V/3 Ah.

QTY/PKG:	Order no.
1	345.512

AS 28 – Flex Terso – small areas cleaning machine - Applications