

WS 702 VEA - Giraffe long neck sander

110V - Part No. 259.485

220V - Part No. 259.385



Giraffe® long-neck sander

- VE electronic control: with infinitely adjustable speed control
- Dust extractor system: with ring brush on the protective cover, flexible vacuum hose from the sanding head to guiding pipe. Connection available for FLEX S 36, S 47 and S 47 M industrial vacuum cleaners at rear end of guiding pipe
- With automatic filter cleaning, the S 47 and S 47 M is the ideal complement to the Giraffe ®. It ensures consistent cleaning during the working process.
- Velcro adapter: large surface, cushioned
- Easy guiding: by optimal balance between motor and grinding head
- Allows you to reach 3-metre high ceilings and surfaces without a ladder or scaffolding
- The universal-joint-mounted sanding head and soft backing pad prevent grooving and scratching and ensures a perfect finish
- With the wide range of FLEX abrasives, the variety of uses for painting and varnishing preparation, cleaning and polishing is virtually limitless

TECHNICAL DATA

Technical attributes	WS 702 VEA
Power input	400 watt
Power output	200 watt
Speed without load	1000-1650 rpm
Grinding disc Ø	225 mm
Length	1580 mm
Weight	4,20 kg



Standard equipment

4-m vacuum hose (32 mm Ø) with two adapters	1 piece
1 adapter for Velcro sand paper	260.232
Velcro sand paper, grit 40	1 piece of 280.739
Velcro sand paper, grit 60	1 piece of 260.233
Velcro sand paper, grit 80	1 piece of 260.234
Velcro sand paper, grit 100	1 piece of 260.235
Velcro sand paper, grit 220	1 piece of 260.236
Velcro sanding, grit 80	1 piece of 260.237
3 Velcro cable clips	887.428

Velcro sand paper



For sanding polystyrene slabs (thermal protection).

Dimensions in mm:	Grit:	QTY/PKG:	Order no.
225 Ø	grit 16	10	279.102

Velcro sanding grid



For rapid removal of surface irregularities.

Dimensions in mm:	Grit:	QTY/PKG:	Order no.
225 Ø	grit 80	25	260.237



For rapid removal of fine surface irregularities.

Dimensions in mm:	Grit:	QTY/PKG:	Order no.
225 Ø	grit 100	25	260.230

Velcro sand paper (perforated)



For leveling coarse surface irregularities.

Dimensions in mm:	Grit:	QTY/PKG:	Order no.
225 Ø	grit 40	25	280.739



For leveling light surface irregularities

Dimensions in mm:	Grit:	QTY/PKG:	Order no.
225 Ø	grit 60	25	260.233



For removing paint and paste

Dimensions in mm:	Grit:	QTY/PKG:	Order no.
225 Ø	grit 80	25	260.234



For rapid sanding and smoothing

Dimensions in mm:	Grit:	QTY/PKG:	Order no.
225 Ø	grit 100	25	260.235



For universal sanding

Dimensions in mm:	Grit:	QTY/PKG:	Order no.
225 Ø	grit 150	25	311.995
			311.987



For sanding quick-bonding material

Dimensions in mm:	Grit:	QTY/PKG:	Order no.
----------------------	-------	----------	-----------

225 Ø	grit 220	25	260.236
-------	----------	----	---------



For universal sanding

Dimensions in mm:	Grit:	QTY/PKG:	Order no.
----------------------	-------	----------	-----------

225 Ø	grit 150	25	311.995
			311.987

Velcro SiC (silicon carbide) sand paper sheet



Dimensions in mm:	Grit:	QTY/PKG:	Order no.
----------------------	-------	----------	-----------

225 Ø	S 320	10	281.026
225 Ø	S 1200	10	281.018

Velcro sanding fleece



Dimensions in mm:	Grit:	QTY/PKG:	Order no.
----------------------	-------	----------	-----------

225 Ø	grit 100	10	281.042
225 Ø	grit 180	10	281.034

Velcro polishing sponge



Dimensions in mm:	Grit:	QTY/PKG:	Order no.
225 Ø	soft	5	280.992

Padded adapter for Velcro paper



Velcro system for attaching the sanding discs, soft.

QTY/PKG:	Order no.
1	260.232



Velcro system for attaching the abrasive discs, hard.

QTY/PKG:	Order no.
1	342.319

Bail handle



For effortless working in difficult positions (e.g. overhead work).

QTY/PKG:	Order no.
1	301.825

Padded carrying bag



The clean conveyor for WS 702 VEA and accessories. Also protects against damage.

QTY/PKG:	Order no.
----------	-----------

1	280.984
---	---------

Special adapter

With metal ring, for connecting the 32 mm vacuum hose to the original Giraffe® and Okapi® vacuum attachment.

QTY/PKG:	Order no.
----------	-----------

1	340.790
---	---------

Rotating suction adapter



The adapter can be rotated and connects the vacuum cleaner to the 32-mm vacuum hose.

QTY/PKG:	Order no.
----------	-----------

1	340.804
---	---------

Vacuum hose



Vacuum hose, 32 mm internal Ø, 4.0 m long, incl. coupling bush for vacuum cleaner (Order no. 328.308 + 882.428) and special adapter with metal ring (Order no. 890.961).

QTY/PKG:	Order no.
----------	-----------

1	341.355
---	---------

WS 702 VEA - Giraffe long neck sander - Applications

